SAFETY DATA SHEET

Alloy Sn63-Pb37 NC 209 AXT



Section 1. Identification **GHS** product identifier : Alloy Sn63-Pb37 NC 209 AXT : GHS001 **Reference number** Other means of : For all Sn-Pb alloys NC 209 AXT identification **Product type** : Solid. [Cored Wire] Relevant identified uses of the substance or mixture and uses advised against Not applicable. **Supplier's details** : AIM 9100 Henri Bourassa East Montreal, QC H1E 2S4 (514) 494-2000 In the United States: AIM 25 Kenney Drive Cranston, RI 02920 (800) CALL-AIM In México AIM Soldadura de México Circuito Interior Norte # 460 Parque Industrial Salvarcar Ciudad Juárez, Chih. (656) 630-0032 : INFOTRAC **Emergency telephone** number (with hours of North America: (800) 535-5053 operation) International: (352) 323-3500 Section 2. Hazards identification **OSHA/HCS** status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). **Classification of the** : CARCINOGENICITY - Category 2 substance or mixture **GHS** label elements Hazard pictograms Signal word : Warning **Hazard statements** : Suspected of causing cancer. Preca

| Precautionary statements | |
|--------------------------|--|
| Prevention | : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. |
| Response | : IF exposed or concerned: Get medical attention. |
| Storage | : Store locked up. |

Date of issue/Date of revision :

Date of previous issue : 1

1/11

Section 2. Hazards identification

Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified

Section 3. Composition/information on ingredients

: None known.

| Substance/mixture | ÷ | Mixture |
|----------------------------------|---|---------------------------------|
| Other means of identification | : | For all Sn-Pb alloys NC 209 AXT |

| Ingredient name | % | CAS number |
|---------------------|-----------|------------|
| Tin | ≥50 - ≤75 | 7440-31-5 |
| lead | ≥25 - ≤50 | 7439-92-1 |
| Rosin, hydrogenated | ≤3 | 65997-06-0 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | - | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

| Potential acute health eff | ects |
|--------------------------------|---|
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| <u>Over-exposure signs/syr</u> | nptoms |
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| | |

Date of issue/Date of revision : 1/12/2018

Section 4. First aid measures

| Ingestion | : No specific data. |
|----------------------------|--|
| Indication of immediate me | dical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5 Fire-fighting measures

| Section 5. Fire-lighting measures | | |
|--|---|--|
| Extinguishing media | | |
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. | |
| Unsuitable extinguishing media | : None known. | |
| Specific hazards arising from the chemical | : No specific fire or explosion hazard. | |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: metal oxide/oxides | |
| Special protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. | |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. | |

Section 6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | | |
|---|---|---|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containment and cleaning up | | |
| Small spill | : | Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

| Precautions for safe handling | | | |
|--|---|--|--|
| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. | |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. | |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. | |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------|--|
| Tin | OSHA (United States, 0/1997). Notes: Respirable TWA: 2 mg/m ³ NIOSH (United States, 0/1994). Notes: Respirable TWA: 2 mg/m ³ STEL: 4 mg/m ³ ACGIH TLV (United States, 3/2016). TWA: 2 mg/m ³ , (as Sn) 8 hours. |
| lead | NIOSH REL (United States, 10/2013). TWA: 2 mg/m³, (as Sn) 10 hours. ACGIH TLV (United States, 3/2016). TWA: 0.05 mg/m³, (as Pb) 8 hours. NIOSH REL (United States, 10/2013). TWA: 0.05 mg/m³ 8 hours. OSHA PEL (United States, 2/2013). TWA: 50 µg/m³, (as Pb) 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 50 µg/m³, (as Pb) 8 hours. |
| Rosin, hydrogenated | None. |

| Appropriate engineering controls | If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
|------------------------------------|---|
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

Individual protection measures

Section 8. Exposure controls/personal protection

| • | · · |
|------------------------|--|
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

| A | | | | |
|--|------------------------------------|--------------|----------------|------|
| <u>Appearance</u> | | | | |
| Physical state | : Solid. [Cored Wire] | | | |
| Color | : Not available. | | | |
| Odor | : Not available. | | | |
| Odor threshold | : Not available. | | | |
| рН | : Not available. | | | |
| Melting point | : Not available. | | | |
| Boiling point | : Not available. | | | |
| Flash point | : Not available. | | | |
| Evaporation rate | : Not available. | | | |
| Flammability (solid, gas) | : Not available. | | | |
| Lower and upper explosive (flammable) limits | : Not available. | | | |
| Vapor pressure | : Not available. | | | |
| Vapor density | : Not available. | | | |
| Relative density | : Not available. | | | |
| Solubility | : Not available. | | | |
| Solubility in water | : Not available. | | | |
| Partition coefficient: n- octanol/water | : Not available. | | | |
| Auto-ignition temperature | : Not available. | | | |
| Decomposition temperature | : Not available. | | | |
| Viscosity | : Not available. | | | |
| Flow time (ISO 2431) | : Not available. | | | |
| Date of issue/Date of revision | : 1/12/2018 Date of previous issue | : 10/23/2017 | Version : 0.04 | 5/11 |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|------------------------|---------|--------------------------|----------|
| Rosin, hydrogenated | LD50 Oral LD50 Oral | | 5000 mg/kg 8400 mg/kg | - |

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|-------|------|--|
| lead | - | 2B | Reasonably anticipated to be a human carcinogen. |
| Rosin, hydrogenated | None. | 4 | - |

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available.

routes of exposure

Potential acute health effects

Section 11. Toxicological information

| Eye contact | 1 | No known significant effects or critical hazards. |
|--------------------------------|-------------|--|
| Inhalation | 1 | No known significant effects or critical hazards. |
| Skin contact | 1 | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |
| Symptoms related to the phy | <u>/sic</u> | cal, chemical and toxicological characteristics |
| Eye contact | 1 | No specific data. |
| Inhalation | 1 | No specific data. |
| Skin contact | 1 | No specific data. |
| Ingestion | : | No specific data. |
| Delayed and immediate effect | <u>ts:</u> | and also chronic effects from short and long term exposure |
| <u>Short term exposure</u> | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | 1 | Not available. |
| Long term exposure | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | 1 | Not available. |
| Potential chronic health eff | <u>ect</u> | <u>s</u> |
| Not available. | | |
| General | 1 | No known significant effects or critical hazards. |
| Carcinogenicity | : | Suspected of causing cancer. Risk of cancer depends on duration and level of exposure. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | 1 | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |
| | | |

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---|---|---------------------|
| lead | Acute EC50 105 ppb Marine water | Algae - Chaetoceros sp Exponential growth phase | 72 hours |
| | Acute EC50 0.489 mg/l Marine water | Algae - Ulva pertusa | 96 hours |
| | Acute EC50 8000 µg/l Fresh water | Aquatic plants - Lemna minor | 4 days |
| | Acute LC50 530 µg/l Fresh water | Crustaceans - Ceriodaphnia reticulata | 48 hours |
| | Acute LC50 4400 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 0.44 ppm Fresh water | Fish - Cyprinus carpio - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |
| | Chronic NOEC 0.25 mg/l Marine water Chronic NOEC 0.03 µg/l Fresh water | Algae - Ulva pertusa Fish - Cyprinus carpio | 96 hours 4 weeks |

7/11

Section 12. Ecological information

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| Rosin, hydrogenated | 3.42 | - | low |

Mobility in soil

| Soil/water partition | : Not available. |
|----------------------|------------------|
| coefficient (Koc) | |

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ADR/RID | IMDG | ΙΑΤΑ |
|-------------------------------|---|-----------------------|--------------------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - | - | - |
| Transport hazard class(es) | - | - | - | - | - | - |
| Packing group | - | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. | No. |
| Additional information | Reportable quantity 27.579 lbs / 12. 521 kg Package sizes shipped in quantities less than the product reportable quantity are | - | - | - | - | - |

Section 14. Transport information

| the RQ | | |
|----------------|--|--|
| (reportable | | |
| quantity) | | |
| transportation | | |
| requirements. | | |
| | | |

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

: United States inventory (TSCA 8b): All components are listed or exempted.

| Transport in bulk according | 1 | Not available. |
|-----------------------------|---|----------------|
| to Annex II of MARPOL and | | |
| the IBC Code | | |

Section 15. Regulatory information

| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed |
|---|--------------|
| Clean Air Act Section 602 Class I Substances | : Not listed |
| Clean Air Act Section 602 Class II Substances | : Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed |
| DEA List II Chemicals | : Not listed |

(Essential Chemicals) SARA 302/304

U.S. Federal regulations

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Delayed (chronic) health hazard

Composition/information on ingredients

| Name | % | Fire hazard | Sudden release of pressure | Reactive | | Delayed (chronic) health hazard |
|------|-----------|----------------|----------------------------------|----------|-----|--|
| lead | ≥25 - ≤50 | No. | No. | No. | No. | Yes. |

SARA 313

| | Product name | CAS number | % |
|------------------------------------|--------------|------------|-----------|
| Form R - Reporting requirements | lead | 7439-92-1 | ≥25 - ≤50 |
| Supplier notification | lead | 7439-92-1 | ≥25 - ≤50 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

| Massachusetts | : The following components are listed: LEAD; TIN |
|---------------|--|
|---------------|--|

New York: The following components are listed: Lead

| Date of issue/Date of revision | : 1/12/2018 | Date of previous issue | : 10/23/2017 | Version : 0.04 | 9/11 |
|--------------------------------|-------------|------------------------|--------------|----------------|------|
|--------------------------------|-------------|------------------------|--------------|----------------|------|

Section 15. Regulatory information

New Jersey

Pennsylvania

- : The following components are listed: LEAD; TIN
- : The following components are listed: LEAD COMPOUNDS; TIN

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

| Ingredient name | Cancer | Reproductive | • | Maximum acceptable dosage level |
|-----------------|--------|--------------|--|---------------------------------------|
| lead | Yes. | | 15 μg/day (ingestion) 0.0005 μg/day (inhalation) | Yes. |

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.


UNECE Aarhus Protocol on POPs and Heavy Metals

| Ingredient name | List name | Status |
|-----------------|------------------------|--------|
| Lead (Pb) | Heavy metals - Annex 1 | Listed |

| International lists | |
|---------------------|---|
| National inventory | |
| Australia | : Not determined. |
| Canada | : At least one component is not listed in DSL but all such components are listed in NDSL. |
| China | : All components are listed or exempted. |
| Europe | : All components are listed or exempted. |
| Japan | : Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined. |
| Malaysia | : Not determined. |
| New Zealand | : All components are listed or exempted. |
| Philippines | : Not determined. |
| Republic of Korea | : Not determined. |
| Taiwan | : All components are listed or exempted. |
| Turkey | : Not determined. |

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Section 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

| | Classification | Justification |
|--------------------------------|---|--|
| CARCINOGENICITY - Category 2 | | Calculation method |
| <u>History</u> | | |
| Date of printing | : 1/12/2018 | |
| Date of issue/Date of revision | : 1/12/2018 | |
| Date of previous issue | : 10/23/2017 | |
| Version | : 0.04 | |
| Key to abbreviations | : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification IATA = International Air Transport Association IBC = International Air Transport Association | pefficient tion of Pollution From Ships, 1973 |
| References | : Not available. | |

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.