# SAFETY DATA SHEET

ALLOY Sn63-Pb37 OAJ



### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

	1.1	Prod	uct id	lentifier
--	-----	------	--------	-----------

Product name	: ALLOY Sn63-Pb37 OAJ
Product code	: GHS060
Product type	: Solid. [Cored Wire]
Other means of identification	: Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable.

#### 1.3 Details of the supplier of the safety data sheet

AIM 9100 Henri Bourassa East Montreal, QC H1E 2S4 (514) 494-2000

AIM Solder Europe Sp. z.o.o. ul. Papiernicza 7 Łódź 92-312 Poland

#### e-mail address of person responsible for this SDS

: Safetydata@aimsolder.com

#### **National contact**

Edit the content of sentence <EU National Contact> to define this output

#### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

**Telephone number** 

: INFOTRAC Europe: 0800-181-29-24 International: (352) 323-3500

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Repr. 1A, H360FD (Fertility and Unborn child)

Aquatic Acute 1, H400

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

ALLOY Sn63-Pb37 OAJ

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	May damage fertility. May damage the unborn child. Very toxic to aquatic life.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid release to the environment.
Response	1	Collect spillage. IF exposed or concerned: Get medical attention.
Storage	1	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Restricted to professional users. For the supply to the general public - Entry No. 30, Entry No. 63.
Special packaging requirem	ner	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
		P: Not available. B: Not available. T: Not available. vP: Not available. vB: Not available.
Other hazards which do	:	None known.

### not result in classification

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

3.2 Mixtures :	Mixture			
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
lead compounds urea	EC: 231-100-4 CAS: 7439-92-1 Index: 082-001-00-6 EC: 200-315-5 CAS: 57-13-6	≥25 - ≤50 <1	Repr. 1A, H360FD (Fertility and Unborn child) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=10000)	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Туре

ALLOY Sn63-Pb37 OAJ

### **SECTION 3: Composition/information on ingredients**

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

4.1 Description of first aid n	sures	
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and low eyelids. Check for and remove any contact lenses. Continue to rinse for at least minutes. Get medical attention.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathin If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attentior unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	•
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing an shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.	
Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do induce vomiting unless directed to do so by medical personnel. If vomiting occur the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscio place in recovery position and get medical attention immediately. Maintain an op airway. Loosen tight clothing such as a collar, tie, belt or waistband.	not s, ous,
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. I is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	

### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/	<u>symptoms</u>
Eye contact	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations

Skin contact	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced foetal weight

skeletal malformations	
4.3 Indication of any immediate medical attention and special treatment needed	

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Date of issue/Date of revision

ALLOY Sn63-Pb37 OAJ

### **SECTION 4: First aid measures**

Specific treatments

: No specific treatment.

### SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	-	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising f	ron	n the substance or mixture
Hazards from the substance or mixture	:	This material is very toxic to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	:	Decomposition products may include the following materials: metal oxide/oxides
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.
Date of issue/Date of revision		: 11/15/2018 Date of previous issue : 5/18/2018 Version : 1.01 4/13

ALLOY Sn63-Pb37 OAJ

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### Seveso Directive - Reporting thresholds (in tonnes)

Danger criteria					
Category	Notification and MAPP threshold	Safety report threshold			
E1: Hazardous to the aquatic environment - Acute 1 or Chronic 1	100	200			

#### 7.3 Specific end use(s)

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name		Exposure limit values				
lead compounds		EU OEL (Europe, 12/2009). Notes: list of binding of exposure limit values TWA: 0.15 mg/m <sup>3</sup> 8 hours.		t of binding oc	cupatio	onal
procedures a o p tt tt tt li a	mosphere or the ventilation otective equip e following: E e assessment nit values and mospheres - 0	piological monitorin n or other control m ment. Reference s uropean Standard t of exposure by inh measurement strat Guide for the applic	with exposure limits, g may be required to easures and/or the ne should be made to mo EN 689 (Workplace a alation to chemical ag tegy) European Stand ation and use of proc ical agents) Europea	determine the e ecessity to use i onitoring standa itmospheres - G gents for compa dard EN 14042 edures for the a	ffective respirato rds, suc Guidance arison w (Workp assessm	ory ch as e for ⁄ith olace
ate of issue/Date of revision	11/15/2018 Da	te of previous issue	: 5/18/2018	Version	: 1.01	5/13

ALLOY Sn63-Pb37 OAJ

### **SECTION 8: Exposure controls/personal protection**

(Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available

8.2 Exposure controls		
Appropriate engineering controls		If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection meas	ures	
Hygiene measures		Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection		Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection		Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection		Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection		Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection		Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls		Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

: 11/15/2018

Date of issue/Date of revision

hysical and chemical properties
: Solid. [Cored Wire]
: Not available.
: Odorless.
: Not available.
h

Date of previous issue

: 5/18/2018

6/13

Version : 1.01

ALLOY Sn63-Pb37 OAJ

### SECTION 9: Physical and chemical properties

рН	1	Not available.
Melting point/freezing point	1	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	1	Not available.
Evaporation rate	4	Not available.
Flammability (solid, gas)	1	Slightly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.
Upper/lower flammability or explosive limits	:	Not available.
Vapour pressure	:	Not available.
Vapour density	:	Not available.
Relative density	1	Not available.
Solubility(ies)	:	Not available.
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.
Viscosity	1	Not available.
Explosive properties	:	Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and shocks and mechanical impacts.
Oxidising properties	1	Not available.
9.2 Other information		
Solubility in water	4	Not available.
Molecular weight	1	Not applicable.
Type of aerosol	4	Not applicable.
Ignition distance	4	Not applicable.
Enclosed space ignition - Time equivalent	:	Not applicable.
Enclosed space ignition - Deflagration density	:	Not applicable.
Flame height	:	Not applicable.
Flame duration	1	Not applicable.
No additional information.		

### **SECTION 10: Stability and reactivity**

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	No specific data.
10.6 Hazardous decomposition products		Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Date of issue/Date of revision		: 11/15/2018 Date of previous issue : 5/18/2018 Version : 1.01 7/13

ALLOY Sn63-Pb37 OAJ

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
urea	LD50 Oral LD50 Oral	Rat Rat	8471 mg/kg 14300 mg/kg	-

**Conclusion/Summary** : Not available.

Acute toxicity estimates

Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observat	tion
urea	Skin - Mild irritant	Human	-	72 hours 22 milligrams Intermittent	-	
	Skin - Moderate irritant	Human	-	24 hours 20 Percent	-	
Conclusion/Summary	: Not available.					
<u>Sensitisation</u>						
<b>Conclusion/Summary</b>	: Not available.					
<b>Mutagenicity</b>						
<b>Conclusion/Summary</b>	: Not available.					
<b>Carcinogenicity</b>						
<b>Conclusion/Summary</b>	: Not available.					
Reproductive toxicity						
<b>Conclusion/Summary</b>	: Not available.					
<b>Teratogenicity</b>						
<b>Conclusion/Summary</b>	: Not available.					
Specific target organ toxicit	<u>y (single exposure)</u>					
Not available.						
Specific target organ toxicit Not available.	<u>y (repeated exposure)</u>					
Aspiration hazard Not available.						
Information on likely routes of exposure	: Not available.					
Potential acute health effects						
Eye contact	: No known significant effects	or critical hazar	ds.			
Inhalation	: No known significant effects	or critical hazar	ds.			
Skin contact	: No known significant effects	or critical hazar	ds.			
Ingestion	: No known significant effects of	or critical hazar	ds.			
Symptoms related to the physical	sical, chemical and toxicologic	al characteris	<u>tics</u>			
Eye contact	: No specific data.					
Inhalation	: Adverse symptoms may inclu reduced foetal weight increase in foetal deaths skeletal malformations	ide the following	g:			
Pate of issue/Date of revision	+ 11/15/2018 Date of provinus in	- E /4	8/2018	Maria	ion :1.01	Q/1 2

ALLOY Sn63-Pb37 OAJ

Skin contact	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths
Ingestion	<ul> <li>skeletal malformations</li> <li>Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations</li> </ul>
Delayed and immediate effect	ts as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: May damage the unborn child.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: May damage fertility.
Other information	<ul> <li>To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.</li> <li>Final determination of suitability of any material is the sole responsibility of the use All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these ar the only hazards that exist.</li> </ul>

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
lead compounds	Acute EC50 105 ppb Marine water	Algae - Chaetoceros sp Exponential growth phase	72 hours
	Acute EC50 0.489 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 8000 µg/l Fresh water	Aquatic plants - Lemna minor	4 days
	Acute LC50 530 µg/l Fresh water	Crustaceans - Ceriodaphnia reticulata	48 hours
	Acute LC50 4400 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 0.44 ppm Fresh water	Fish - Cyprinus carpio - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 0.25 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 0.03 µg/l Fresh water	Fish - Cyprinus carpio	4 weeks
ırea	Acute EC50 6573.1 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 3910000 µg/l Fresh water	Daphnia - Daphnia magna -	48 hours
te of issue/Date of revision	: 11/15/2018 Date of previous issue	: 5/18/2018 Version	:1.01 9/

ALLOY Sn63-Pb37 OAJ

### **SECTION 12: Ecological information**

	Acute LC50 22.5 ppt Fresh water	Neonate Fish - Oreochromis mossambicus - Young	96 hours
	Chronic NOEC 2 g/L Fresh water	Fish - Heteropneustes fossilis	30 days
Conclusion/Summary	: Not available.		

#### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
urea	<-1.73	-	low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

PBT	: Not applicable.
vPvB	: Not applicable.

#### : Not applicable.

12.6 Other adverse effects

#### : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

ALLOY Sn63-Pb37 OAJ

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA	
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
14.2 UN proper shipping name	-	-	-	-	
14.3 Transport hazard class(es)	-	-	-	-	
14.4 Packing group	-	-	-	-	
14.5 Environmental hazards	No.	No.	No.	No.	
Additional information	-	-	-	-	

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk : Not available. according to Annex II of Marpol and the IBC Code

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

Substances of very high concern

Ingredient name		Intrinsic property		Reference number	Date of revision
Lead		Toxic to reproduction	Candidate	-	-
Annex XVII - Restrictions	: Restricted to p	rofessional users. For t	he supply to the ae	neral public -	Entry No. 30.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Restricted to Entry No. 63	•	al users. Fc	or the supply to the	general public -	Entry No	o. 30,
Other EU regulations								
Europe inventory	1	All compone	ents are listed	d or exempt	ed.			
Industrial emissions (integrated pollution prevention and control) - Air	:	Listed						
Industrial emissions (integrated pollution prevention and control) - Water	:	Listed						
Date of issue/Date of revision		: 11/15/2018	Date of previ	ous issue	: 5/18/2018	Version	:1.01	11/13

ALLOY Sn63-Pb37 OAJ

### **SECTION 15: Regulatory information**

### Ozone depleting substances (1005/2009/EU)

Not listed.

#### Prior Informed Consent (PIC) (649/2012/EU)

Ingredient name	Annex	Status
Lead compounds	Annex I - Part 1	Listed
Not applicable.		I
<u>Seveso Directive</u>		
This product is controlled under the Seveso Directive.		
Danger criteria		
Category		
E1: Hazardous to the aquatic environment - Acute 1 or Chro	onic 1	
Biocidal products : Not applicable. regulation		

#### **International regulations**

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Ingredient name		List name	Status	
Lead (Pb)		Heavy metals - Annex 1	Listed	
nternational lists		<u>.</u>		
National inventory				
Australia	: All components a	are listed or exempted.		
Canada	: All components a	are listed or exempted.		
China	: All components a	are listed or exempted.		
Japan	• •	y (ENCS): Not determined. y (ISHL): Not determined.		
Malaysia	: Not determined.	Not determined.		
New Zealand	: All components a	All components are listed or exempted.		
Philippines	: All components a	All components are listed or exempted.		
Republic of Korea	: All components a	All components are listed or exempted.		
Taiwan	: All components a	All components are listed or exempted.		
Turkey	: Not determined.	: Not determined.		
United States	: All components a	All components are listed or exempted.		
5.2 Chemical safety ssessment	: This product con required.	tains substances for which Chemical S	Safety Assessments are st	

ALLOY Sn63-Pb37 OAJ

### SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative</li> </ul>
Key literature references	: -CHEMTOX database

## Key literature references and sources for data

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Repr. 1A, H360FD (Fertility and Unborn child)	Calculation method
Aquatic Acute 1, H400	Calculation method

#### Full text of abbreviated H statements

	Causes skin irritation. Causes serious eye irritation.
	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.

#### Full text of classifications [CLP/GHS]

Aquatic Acute 1, H400 Eye Irrit. 2, H319 Repr. 1A, H360FD		ACUTE AQUATIC HAZARD - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 REPRODUCTIVE TOXICITY (Fertility and Unborn child) - Category 1A
Skin Irrit. 2, H315		SKIN CORROSION/IRRITATION - Category 2
Date of printing	: 11/15/2018	
Date of issue/ Date of revision	: 11/15/2018	
Date of previous issue	: 5/18/2018	
Version	: 1.01	
Martha a factor and an		

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.